


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 6166
 Rec. Oct 3 1961
 Well No. 72195
 Permit No. 18626
Do not fill in

Owner Sam Dick (Loretta Dick) Driller Desert Irrigation & Supply Co.

Address Eureka, Nevada Address Elko, Nevada Lic. No. 321

Location of well: SE 1/4 SE 1/4 Sec. 3, T21 N/S, R. 53 E, in Eureka, County
 or Diamond Valley

Water will be used for Irrigation Total depth of well 182 ft.

Size of drilled hole 27" Weight of casing per linear foot 35 lbs

Thickness of casing 3/16 th Temp. of water 58° cold

Diameter and length of casing 182 ft 16"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure None

If nonflowing well give depth of standing water from surface 34 ft.

If flowing well describe control works None
(Type and size of valve, etc.)

Date of commencement of well May 25, 1961 Date of completion of well May 16, 1961

Type of well rig Reverse Circulation Drilling

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|------------------|
| 0 | 5 | 5 | Soil |
| 5 | 32 | 27 | Sand and Gravel |
| 32 | 82 | 50 | Sand and Clay |
| 82 | 112 | 30 | Sand and Gravel |
| 112 | 132 | 20 | Gravel and Clay |
| 132 | 162 | 30 | Sand and Clay |
| 162 | 182 | 20 | Gravel |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 140 to 182 ft.

Other aquifers.....

82 to 112

First water at 34 feet.

Casing perforated

from 140 to 182 ft.

Size of perforations

3/16 factory screen



