

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6231  
 Rec. Nov. 9 1961  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Gordon Morrow Driller A. & B. Contractors (G. Rahier)

Address Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. 343

Location of well: SW 1/4 SE 1/4 Sec. 18, T. 20N/S, R. 20E, in Washoe County

or \_\_\_\_\_

Water will be used for domestic Total depth of well 101

Size of drilled hole 6" Weight of casing per linear foot 13 lbs

Thickness of casing 188 ga Temp. of water cold

Diameter and length of casing 6" X 101'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 39'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well \_\_\_\_\_ Date of completion of well \_\_\_\_\_

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	15	15	top soil	
15	55	40	sandy gravel & clay	Chief aquifer (water-bearing formation)
55	70	15	sand	
70	101	41	sand & gravel	from <u>55</u> to <u>101</u> ft.
				Other aquifers _____
				_____
				_____
				_____
				_____
				First water at <u>55</u> feet.
				Casing perforated
				from <u>61</u> to <u>101</u> ft.
				Size of perforations
				<u>1/8 X 6"</u>



