

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6248
 Rec. Nov. 7 19 61
 Well No. _____
 Permit No. _____
Do not fill in ✓

Owner Dick Graves Driller W. P. Peterson
 Address Sparks Address Sparks Lic. No. 334
 Location of well: SE 1/4 1/4 Sec. 17, T. 20N/S, R. 20E, in Washoe County
 or _____
 Water will be used for domestic (16 units) Total depth of well 175'
 Size of drilled hole 16" Weight of casing per linear foot 188 ga
 Thickness of casing 3/16 Temp. of water cold
 Diameter and length of casing 12 3/4" set to 175'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 50'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well Sept 5 Date of completion of well Sept 15
 Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	top soil
5	80'	75	fine granitic
80	100	20	D. & sand (water bearing)
100	150	50	Gravel
150	176	26	cemented gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 80 to 150 ft.

Other aquifers water

in coarse sand

and gravel

First water at 80 feet.

Casing perforated

from 70 to 170 ft.

Size of perforations

torch

