

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6254
 Rec. Nov 7 1961
 Well No. _____
 Permit No. _____
Do not fill in

Owner Dick Graves Driller Gu Peterson
 Address Sparks Address Sparks Lic. No. 334
 Location of well: SE 1/4 1/4 Sec. 17, T20N/S, R20E, in Washoe County
 or _____
 Water will be used for domestic Total depth of well 103
 Size of drilled hole 6 5/8 Weight of casing per linear foot 188 ga
 Thickness of casing 3/16 Temp. of water cold
 Diameter and length of casing 6 1/4 sch to 103'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 40
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well Aug 30 Date of completion of well Sept 2
 Type of well rig cable tool

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material | Water-bearing Formation, Casing Perforations, Etc. |
|-----------|---------|----------------|---------------------------------|--|
| 0 | 3 | 3 | top soil | |
| 3 | 80 | 77 | firm granit | Chief aquifer (water-bearing formation) |
| 80 | 103 | 23 | D. G. coarse sand water bearing | from <u>80</u> to <u>103</u> ft. |
| | | | | Other aquifers <u>water bearing D. G. sand</u> |
| | | | | First water at <u>80</u> feet. |
| | | | | Casing perforated from <u>70</u> to <u>103</u> ft. |
| | | | | Size of perforations <u>torch</u> |



