

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6297
 Rec. DEC. 4. 1961
 Well No. _____
 Permit No. _____
Do not fill in



Owner Ralph V. Dofflemyre Driller Hatch Drilling Co.

Address 1820 North Division, Carson City Address 1700 Holcomb Ln., Reno Lic. No. 352

Location of well: SE 1/4 1/4 Sec. 26., T. 16N/R. 19E, in Washoe County

or _____

Water will be used for Domestic Total depth of well 99 ft.

Size of drilled hole 8 inch Weight of casing per linear foot Kai-well #12

Thickness of casing 12 guage Temp. of water cold

Diameter and length of casing 8 inch -99 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 21 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 11/28/61 Date of completion of well 12/2/61

Type of well rig cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Top Soil
1	40	39	Brown decomposed granite
40	63	23	Course brown sand
63	78	15	Sandy Clay
78	84	6	Course brown sand
84	98	14	Brown Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 78 to 84 ft.

Other aquifers 40-63 ft.

First water at 40 feet.

Casing perforated from 52 to 84 ft.

Size of perforations

1/2" x 2"



