

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 6299
 Rec. Nov. 28 1961
 Well No. 1
 Permit No. 16834
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Donald T. & Peggy Hall / A Co-Partnership Driller Lukins Bros.

Address Zephyr Cove, Nevada Address Tahoe Valley, Calif. Lic. No. _____

Location of well: SE 1/4 SW 1/4 Sec. 23, T13N/S, R18E, in Douglas County _____

Water will be used for Quasi-Municipal Total depth of well 120'

Size of drilled hole 8" Weight of casing per linear foot _____

Thickness of casing 1/8" Temp. of water 46°

Diameter and length of casing 8" to 48'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 28 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well July, 1950 Date of completion of well August, 1950

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	20'	20'	Top Soil
20'	50'	30'	Red Granite
50'	70'	20'	White Granite
70'	80'	10'	Gravel
80'	100'	20'	Hard Granite
100'	120'	20'	Rock and Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 100' to 120' ft.
 Other aquifers 70' to 80'

First water at 70' feet.

Casing perforated
 Solid casing to 50'
 from _____ to _____ ft.

Size of perforations
No Perforated case



