


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6317
 Rec. Dec 13 1961
 Well No.
 Permit No.
Do not fill in



Owner Snyder Cattle Co. Driller W. E. Blain
 Address Box 1022 Ferrington Address Box 255 Carson City Lic. No. 301
 Location of well: $\frac{1}{4}$ Sec. 18, T. 12 N/8, R. 25 E, in Lyon County
 or 2 miles south of Mason, then 1/2 mile East on Dirt Road, 100 ft East of Dirt Road
 Water will be used for Stock Total depth of well 95 ft
 Size of drilled hole 6" to 16 ft Weight of casing per linear foot 8.81 lbs.
 Thickness of casing 10 gage Temp. of water Cold
 Diameter and length of casing 6" x 96 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface..... 16 ft
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well 11-9-61 Date of completion of well 11-14-61
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	sail
6	16	10	sandy clay
16	73	57	sand & gravel
73	76	3	clay
76	86	10	gravel
86	87	1	clay
87	90	3	gravel
90	93	3	sand & gravel
93	95	2	cemented gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 87 to 93 ft.
 Other aquifers 76-86
16-73
 First water at 16 feet.
 Casing perforated
 from 80 to 96 ft.
 Size of perforations
5" x 1/8"



