

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6350
 Rec. JAN 31 19 62
 Well No. _____
 Permit No. 18811
Do not fill in
25689

Owner Morrison, Quida Z Driller Dave Mc Ninch

Address Pampa, Texas Address Winnemucca, Nevada Lic. No. 219

Location of well: SE 1/4 SE 1/4 Sec 21, T26 N/S, R43 E, in Lander County _____
 or _____

Water will be used for irrigation Total depth of well 260

Size of drilled hole 17" Weight of casing per linear foot 30#

Thickness of casing 10 gauge Temp. of water cold

Diameter and length of casing 16 3/4" 260'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 100'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well AUG. 12, 1960 Date of completion of well Sept. 4, 1961

Type of well rig # 71 Speed Star Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Topsoil
4	19	15	Hard Clay
19	68	49	Fine dry gravel
68	80	12	Clay
80	104	24	Clay & gravel
104	233	129	Seams of loose fine gravel
233	260	27	Big loose gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 233 to 260 ft.

Other aquifers All loose gravel seams

First water at 104 feet.

Casing perforated

from 104 to 260 ft.

Size of perforations

1/4 x 2 1/2 Slots
approx. 30 per ft.



