

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6372  
 Rec. Feb 2 1962  
 Well No. Basin 87  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Clifford Mead Driller J. W. Cunningham

Address Reno, Nevada Address Reno, Nevada Lic. No. 6724

Location of well: S. W. 1/4 N. E. 1/4 Sec. 11, T. 19 N. S. R. 19 E. in Washoe County

or Galahan Ranch

Water will be used for Domestic Total depth of well 213 feet

Size of drilled hole 6" Weight of casing per linear foot 13 lbs.

Thickness of casing 188 wall 3/16" Temp. of water 50°

Diameter and length of casing 6" x 210' (with driveshoe)  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 90 feet

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Oct. 9, 1961 Date of completion of well Oct. 17, 1961

Type of well rig Cable tool Bucyrus Erie #22 W.

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	45	45	D.G. & boulders	<u>38 feet</u>
45	106	61	Brown clay & boulders	Chief aquifer (water-bearing formation)
106	108	2	Sandy clay & boulders	from <u>196</u> to <u>208</u> ft.
108	115	7	Gravel (water)	Other aquifers <u>108 to 115</u>
115	120	5	Solid rock	_____
120	139	19	Course sand (water)	_____
139	152	13	Sand stone	_____
152	<del>168</del>	<del>26</del>	Brown rock	First water at <u>108</u> feet.
177	196	19	D.G.	Casing perforated
196	208	12	Fine to course sand (water)	from <u>92</u> to <u>210</u> ft.
208	213	5	D.G.	Size of perforations
				<u>6" x 1/16</u>



