


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 6375
 Rec. Feb 2 1962
 Well No. _____
 Permit No. _____
Do not fill in

Owner Wilson G. Danials Driller J.W. Cunningham

Address Reno, Nevada Address Reno, Nevada Lic. No. 6724

Location of well: $\frac{1}{4}$ Sec. 13, T. 18 N/S, R. 19 E, in Washoe County
 or Thomas Creek Rd. Reno, Nevada

Water will be used for domestic Total depth of well 92 feet

Size of drilled hole 6 inch Weight of casing per linear foot 13 pounds

Thickness of casing 188 wall 3/16" Temp. of water 50 degrees

Diameter and length of casing 92'6"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 45 feet

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Sept. 22, 1961 Date of completion of well Sept. 27, 1961

Type of well rig Cable tool Bucyrus Erie #22

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	13	13	sand, gravel & bolders
13	56	43	Clay with large bolders
56	72	16	Broken rock, some water
72	84	12	Cemented sand
84	89	5	Hard rock Brown
89	92	3	Coursewater sand

Water-bearing Formation, Casing Perforations, Etc.
13 feet

Chief aquifer (water-bearing formation)
 from 89 to 92 ft.

Other aquifers 56 to 72'

First water at 56-72 feet.

Casing perforated
 from 55 to 91 ft.

Size of perforations
6" x 1/16" torch cut



