

Need  
Copy

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6392  
Rec. FEB 9 1962  
Well No. \_\_\_\_\_  
Permit No. 20092  
*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Owner JENNIE FRULLO Driller Charlie Cribbs # 70

Address Doll House Bar N.L.V. Address Gen. Del. Lic. No. \_\_\_\_\_

Location of well: SW 1/4 SE 1/4 Sec. 19, T. 20N/S, R. 62 E, in CLARK County  
or EAST COLLIGE and \_\_\_\_\_

Water will be used for \_\_\_\_\_ Total depth of well 150

Size of drilled hole 10 Weight of casing per linear foot 10

Thickness of casing 10 Ga. Temp. of water \_\_\_\_\_  
random

Diameter and length of casing \_\_\_\_\_  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 55

If flowing well describe control works \_\_\_\_\_ Pump  
(Type and size of valve, etc.)


Date of commencement of well August 1961 Date of completion of well \_\_\_\_\_

Type of well rig SPUDDER

| LOG OF FORMATIONS |         |                |                                       | Water-bearing Formation, Casing Perforations, Etc.                                |
|-------------------|---------|----------------|---------------------------------------|---|
| From feet         | To feet | Thickness feet | Type of material                      |   |
| 80                | 95      | 15             | brown clay                            |   |
| 95                | 100     | 5              | decomposed lime water                 | Chief aquifer (water-bearing formation)<br>from <u>95</u> <u>150</u> to _____ ft. |
| 100               | 115     | 15             | pink sandy clay                       | Other aquifers _____  |
| 115               | 150     | 35             | decomposed lime streaks in brown clay |   |
|                   |         |                |                                       | First water at <u>95</u> feet.  |
|                   |         |                |                                       | Casing perforated<br>from <u>80</u> to <u>150</u> ft.                             |
|                   |         |                |                                       | Size of perforations<br><u>1/8</u> x <u>6</u> in                                  |

*Handwritten notes and signatures at the bottom right of the page.*

LOG OF FORMATIONS—Continued

| From feet | To feet | Thickness | Type of material   |
|-----------|---------|-----------|--|
|           |         |           |  <p>this well was prevesly drilled to 80 ft with<br/>6 ft of surface casing</p> |

CASING RECORD

| Diam. casing | From feet | To feet | Length                    | Remarks—Seals, Grouting, Etc.  |
|--------------|-----------|---------|---------------------------|--|
|              |           |         | 8 5/8 in casing to 150 ft | perforated from 80 to 150<br>gravelpacked with peagravel from bottom to 80<br>cemented from 80 to the surface 2yds ready mix |

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---



---

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Charles Smith  
Well Driller

By [Signature]

License No. 22 / 152

Dated Aug 1, 1911

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---