

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6409
 Rec. Feb 28 1962
 Well No.
 Permit No. 28625
 Do not fill in

Owner R. L. Carpenter Driller L.C. Cook
 Address Scotty's Junction Via Goldfield, Nev. Address Box 244 Lathrop Wells, Nev. Lic. No. 279
 Location of well: SE 1/4 SW 1/4 Sec. 12, T. 8 N/S, R. 44 E, in Nye County
 or 50' from corner S of 1/2, Sec. 12, Township 8S, R. 44E
 Water will be used for Irrigation Total depth of well 125'
 Size of drilled hole 24" Weight of casing per linear foot
 Thickness of casing 16" X 7/8" Wall Temp. of water Warm
 Diameter and length of casing 16" X 7/8" 125'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface
 If flowing well describe control works
(Type and size of valve, etc.)
 Date of commencement of well Jan 17, 1962 Date of completion of well Feb 16, 1962
 Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	23'	23'	Sandy Clay and Gravel
23'	25'	2'	Large Gravel
25'	35'	10'	Boulders
35'	53'	18'	Sand and Clay
53'	82'	29'	Sand and Gravel
82'	83'	1'	Boulders
82'	105'	22'	Sand, Clay and Small Gravel
105'	125'	20'	Brown Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 25' to 35' ft.

Other aquifers.....

First water at 18' feet.

Casing perforated
 from 26' to 111' ft.
119' to 125'

Size of perforations
Field Perfl 1"

