

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6426
 Rec. March 20 1961
 Well No.
 Permit No.

Do not fill in

Owner Elmer Road Near M. Dwyer Driller F.R. Baxter

Address 71 Canton Ave. Bldg. (M. Dwyer) Address Box 1026 Carson City Lic. No. 322

Location of well: NW 1/4 - SE 1/4 Sec. 23, T. 15 N/S, R. 20 E, in _____ County

Water will be used for Home Use Total depth of well 122'

Size of drilled hole 7 7/8" Weight of casing per linear foot 9.5

Thickness of casing 10 Ga. Temp. of water Est. 90°

Diameter and length of casing 6" 90' IN LENGTH
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6 March 62 Date of completion of well 8 March 62

Type of well rig Pertadrill (1500) Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	28	28	Sand
28	31	3	Small Gravel
31	78	47	Sand
78	89	11	Coarse Sand
89	111	22	Sand
111	118	7	Coarse Sand
118	122	4	Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 78 to 89 ft.

Other aquifers 111 - 118

First water at 78 feet.

Casing perforated from 80 to 90 ft.

Size of perforations

3/16



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6" ID	0	90	90	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed J. R. Baxter
Well Driller

By Don Satta

License No. 322

Dated 8 March, 1962

(Not to be filled in by Driller)

1962 MAR 20 AM 8 50

STATE ENGINEER

OFFICE