

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6452  
 Rec. April 4 1962  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Mourise Sanders Driller Meyer Drilling Co., Inc.

Address Box 369 Carson City, Nevada Address Carson City, Nevada Lic. No 209

Location of well: NE 1/4 SE 1/4 Sec. 23, T15 N/S, R20 E, in Ormsby County  
 or East side of Carson River

Water will be used for Domestic Total depth of well 125

Size of drilled hole 6" Weight of casing per linear foot 13 lbs.

Thickness of casing .188 Temp. of water Warm

Diameter and length of casing 6" X 125'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 51 ft.

If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)

Date of commencement of well March 21, 1962 Date of completion of well March 23, 1962

Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	54	54	Sand & Clay
54	101	47	Clay & Rock
101	125	24	Rock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 101 to 125 ft.

Other aquifers.....

---

First water at 54 feet.

Casing perforated  
 from 102 to 125 ft.

Size of perforations  
1/8" X 6"

MEYER DRILLING CO., INC.  
 CARSON CITY, NEVADA

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
6"	0	125	125	6" Star Drive Shoe

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Approx. 30 GPM @ 70 ft.

5 ft. Grave. Plug in Bottom

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Bob Meyer  
Well Driller

By Meyer Drilling Co., Inc.

License No. 209

Dated March 24, 19 62

MEYER DRILLING CO., INC.  
CARSON CITY, NEVADA

(Not to be filled in by Driller)

STATE ENGINEER  
OFFICE  
1962 APR 4 AM 8 50

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
6"	0	125	125	6" Star Drive Shoe

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Approx. 30 GPM @ 70 ft.

5 ft. Grave. Plug in Bottom

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Bob Meyer  
Well Driller

By Meyer Drilling Co., Inc.

License No. 209

Dated March 24, 19 62

MEYER DRILLING CO., INC.  
CARSON CITY, NEVADA

(Not to be filled in by Driller)

STATE ENGINEER  
OFFICE  
1962 APR 4 AM 8 50