

19124

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6506
Rec. May 14 1962
Well No.
Permit No. 19124

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in

Owner Frank Zinger, Jr. Driller Geo. L. Taylor, Contractor
Bud Gibbons

Address Austin, Nevada Address Plainview, Texas Lic. No. 347

Location of well: NE 1/4 NW 1/4 Sec. 20, T. 18 N/S, R. 42 E, in Landers County
or

Water will be used for Irrigation and Domestic Total depth of well 490

Size of drilled hole 38 Weight of casing per linear foot 10#

Thickness of casing 1 1/4" Temp. of water not pumped

Diameter and length of casing 16" x 274' - 14" x 216' (14" Casing in bottom of well)
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 56'

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 3-25-62 Date of completion of well 3-29-62

Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	6	4	Sand Crusted
6	20	14	White Sand
20	28	8	Blue Clay
28	83	55	Brown Sand
83	90	7	Sand & Clay
90	112	22	Sand
112	124	12	Clay
124	143	19	Sand
143	149	6	Clay
149	155	6	Sand
155	170	15	Clay
170	210	40	Sand
210	215	5	Clay
215	230	15	Sand & Clay
230	240	10	Clay
240	260	20	Sand
260	266	6	Clay
266	285	19	Sand
285	290	5	Clay
290	304	14	Sand
304	354	50	Clay
354	490	136	Sand & Clay Streak

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from to ft.

Other aquifers.....

First water at.....feet.

Casing perforated

from 96 to 490 ft.

Size of perforations

3/16 x 10" x 20" centers
4 rows

