

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6576
 Rec. June 14 1962
 Well No.
 Permit No.

Do not fill in

Owner (Bob) Mr. R. M. Schwalenberg Driller Meyer Drilling Co., Inc.

Address Ash Canyon Road Carson City Address Carson City, Nevada Lic. No. 209

Location of well: SW 1/4 SE 1/4 Sec. 11, T. 15N/S, R. 19E, in Ormsby County

or Former, Frances E. Dalton's FAX Place, Former Barrows Place, Ash Canyon

Water will be used for Domestic & Irrigation Total depth of well 474 feet

Size of drilled hole 20", 16" & 6 3/4" Hammer Weight of casing per linear foot 8" is 18 lbs

Thickness of casing .219" Wall on 8" Temp. of water Cool

Diameter and length of casing 50 ft. of 16" & 160 ft. of 8 5/8" OD
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 68 feet

If flowing well describe control works Not Flowing
(Type and size of valve, etc.)

Date of commencement of well May 18, 1962 Date of completion of well June 8, 1962

Type of well rig KF-50 Rotary Mud & Hammer Drill with Air

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Sandy Top Soil
1	35	34	Boulders & Sand
35	39	4	Boulders
39	65	26	Boulders & Clay
65	160	95	Boulders & Sand
160	411	251	Solid Granite
411	474	63	Granite with fractures

MEYER DRILLING CO., INC.
CARSON CITY, NEVADA

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 411 to 474 ft.

Other aquifers.....

65ft to 160 feet

First water at 65 feet.

Casing perforated

from 100 to 160 ft.

Size of perforations

3/16" by 3inch

