

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed W. H. Lovitt
Well Driller

By _____

Dated Jane 12, 1962
License No. 344
1962 JUN 12 PM 5 40

STATE ENGINEER

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6577
 Rec. 6-12-1962
 Well No. _____
 Permit No. _____
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Johanna Cameron Driller W.H. Lovitt
 Address 2323 Holcomb Lane, Reno, Nevada Address 450 Lovitt Lane Lic. No. 344
 Location of well: NE 1/4, SW 1/4 Sec. 26, T. 20N/S, R. 19E, in Washoe County

Water will be used for Commercial & Domestic Total depth of well 100 ft

Size of drilled hole 11 in Weight of casing per linear foot 9# to 12#

Thickness of casing 12 gauge Temp. of water 48

Diameter and length of casing 10" casing
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____

If nonflowing well give depth of standing water from surface 18 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well April, 1961 Date of completion of well April, 1962

Type of well rig Cable Tool - Star Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Sandy loam
2	27	25	Clay & Sand
27	30	3	Gravel w. water
30	33	3	Boulders & Conglomerate
33	37	4	Blue Clay-volcanic Tuff w. water
37	50	13	Boulders and gravel - Red & Black rocks
50	60	10	Boulders
60	70	10	Gravels w. water
70	80	10	Boulders
80	90	10	Solid Boulders with gravel.
90	95	5	Black Sand.
95	100	5	Rock.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 50 to 52 ft.

Other aquifers _____

First water at 27 feet.

Casing perforated

from 50 to 100 ft.

50 ft.

Size of perforations

1/4" x 8" staggered
Torak Cut.