

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6605  
 Rec. JUNE 25 1962  
 Well No. \_\_\_\_\_  
 Permit No. 20521

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

*Do not fill in*

Owner Martin Saunders Driller Louis Clark

Address Elko, Nev. Address Elko, Nev. Lic. No. 4

Location of well: NW 1/4 NW 1/4 Sec. 8, T.24N/S, R.55E, in \_\_\_\_\_ County \_\_\_\_\_  
 or \_\_\_\_\_

Water will be used for Domestic + agricultural Total depth of well 473

Size of drilled hole 8" Weight of casing per linear foot 19 lbs

Thickness of casing 1/4" Temp. of water cold

Diameter and length of casing 6" - 473  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 217 ft.

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well 4/4/62 Date of completion of well 6/14/62

Type of well rig Cable tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
	20	20	Rocks
20	41	21	yellow clay
41	90	49	rocks + yellow clay
90	133	43	gray clay
133	150	17	yellow clay
150	366	210	sandy gray clay
366	408	48	black shale
408	421	13	gravel
421	429	8	sand
429	473	44	sandy black shale

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 408 to 429 ft.

Other aquifers 280

First water at 280 feet.

Casing perforated

from 405 to 470 ft.

Size of perforations

1/8 x 5"

