

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6638  
 Rec. July 12 1962  
 Well No. \_\_\_\_\_  
 Permit No. 19013/  
 Do not fill in \_\_\_\_\_



Owner W. N. Erwin Driller Glen Maddox

Address Stephenville, Texas Address Eureka, Nevada Lic. No. 369

Location of well: SE 1/4 NE 1/4 Sec. 16., T21 N/S, R. 53 E, in Eureka, County  
 or \_\_\_\_\_

Water will be used for Irrigation Total depth of well 182 ft.

Size of drilled hole 26 in. Weight of casing per linear foot 44 lbs.

Thickness of casing 1/4 in. Temp. of water Apx. 58 degrees

Diameter and length of casing 16 in., 182 ft. furnished by customer.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 44 ft.

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well June 14, 1962 Date of completion of well June 15, 1962

Type of well rig Reverse Rotary

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	3		Top Soil	
3	35		Sand and Gravel	
35	38		Clay and Gravel	
38	65		Gravel	
65	68		Clay	
68	100		Coarse Gravel	
100	108		Clay and Coarse Gravel	
108	144		Coarse Gravel	
144	152		Clay	
152	180		Gravel	
180	182		Clay	
				Chief aquifer (water-bearing formation) from <u>44</u> to <u>182</u> ft.
				Other aquifers _____
				First water at <u>44</u> feet.
				Casing perforated from <u>100</u> to <u>182</u> ft.
				Size of perforations <u>3/16 x 4 in. Torch</u>

(OVER)

