

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6457
 Rec. July 23, 1962
 Well No. 20426
 Permit No. 20426
Do not fill in

Owner John F. Robinson Driller S.J. McKinney & Sons, Inc.

Address 2708 Cedar St., L.V. Address 1042 So. Main Lic. No. 45

Location of well: NE 1/4, NW 1/4 Sec 27, T21 N/S, R61 E, in Clark County
 or _____

Water will be used for Apartment Total depth of well 250 feet

Size of drilled hole 12" to 30", 10" to 250' Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" ID from 0' to 250'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 20'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 4/15/62 Date of completion of well 4/17/62

Type of well rig Lucyus Drive 71 1

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	7	7	gravel & sand	
7	21	14	caliche	
21	30	9	clay	Chief aquifer (water-bearing formation)
30	48	18	brown clay	from <u>30</u> to <u>250</u> ft.
48	52	4	gravel (water)	
52	68	16	gravelly clay	Other aquifers <u>48 to 52'</u>
68	74	6	gravel	<u>74 to 105'</u>
74	105	31	gravel with clay streaks (water)	<u>140 to 184'</u>
105	108	3	gravel	<u>184 to 193'</u>
108	130	22	brown clay	
130	140	10	brown gritty clay	
140	184	44	cemented sand & gravel (water)	
184	192	8	gravel (water)	First water at <u>18</u> feet.
192	195	3	brown clay	
195	197	2	gravel	
197	210	13	brown clay	Casing perforated
210	250	40	brown clay & gravel streaks (water)	from <u>60</u> to <u>250</u> ft.

Size of perforations
3/16" & 20"

