

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 6671  
 Rec. Aug 1 1962  
 Well No. \_\_\_\_\_  
 Permit No. 20271  
 Do not fill in

Owner American Tansul Company Driller Larry Tyler  
 Address I489 Polson St., San Francisco Address Box 174, Newberry, Calif. Lic. No. 372  
 Location of well: 1/4 1/4 Sec. 3, T. 22N, R61E, in M.D.B. & V. Clark County  
 or Govt. Lot #3  
 Water will be used for Commercial purposes Total depth of well 300'  
 Size of drilled hole 18" Weight of casing per linear foot 28 lbs.  
 Thickness of casing 1/4" Temp. of water Cool  
 Diameter and length of casing 10" diameter length 300'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 34'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well June 28, 1962 Date of completion of well July 13, 1962  
 Type of well rig Rotary

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	14	13	Top soil
14	23	9	White clay
23	40	17	Coliche
40	51	11	Clay
51	63	12	Gravel
63	110	47	Clay & gravel
110	119	9	Soft clay
119	123	4	Clay & gravel
123	130	7	Clay
130	132	2	Hard clay & rock
132	138	6	Gravel
138	147	9	Clay & gravel
147	156	9	Sand & gravel
156	171	15	Clay & gravel
171	176	5	Sand
176	185	9	Clay
185	192	7	Hard clay & gravel
192	199	7	Sand & gravel
199	212	13	Clay
212	230	18	Tight packed gravel
230	234	4	Clay
234	240	6	Sand
240	246	6	clay
246	250	4	sand
250	257	7	Clay
257	305	48	Gravel & boulders

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 160' to 200' ft.

(Other aquifers 220' to 300')

First water at 90 feet.

Casing perforated

from 160 to 200 ft.  
220 300

Size of perforations

3/16 by 3"

