

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 66-85
 Rec. Aug 15 1962
 Well No. _____
 Permit No. 21010
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner John and Ray Elges Driller George Etchart
 Address Winnemucca, Nevada Address Winnemucca, Nevada Lic. No. 355
 Location of well: Portion of N.E. 1/4 S.W. 1/4 Sec. 26, T. 36 N/S, R. 37 E, in Humboldt County
 or _____
 Water will be used for Domestic Purposes Total depth of well 135 Ft.
 Size of drilled hole 10" Weight of casing per linear foot 28lbs.
 Thickness of casing 3/16" Temp. of water Cold
 Diameter and length of casing 10" ID x 135 Ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well May 21, 1962 Date of completion of well July 25, 1962
 Type of well rig Cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	11	11	Soil
11	15	4	Small gravel
15	25	10	Sandy gravel
25	67	42	Small gravel
67	69	2	Sand
69	80	11	Sandy gravel
80	95	15	Gravel, small to coarse, s/water
95	120	25	Sandy gravel
120	135	15	Sandy gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 120 to 135 ft.

Other aquifers _____

First water at 80 feet.

Casing perforated

from 95 to 125 ft.

Size of perforations

1/2" x 2-1/2"



