

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6736  
 Rec. Sept. 18 1962  
 Well No. ....  
 Permit No. ....

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Russell Rineveld Driller J. W. Cunningham Do not fill in

Address Conner 5 Acres Address Reno Nev. Lic. No. 6724

Location of well: 1/4 <sup>Conner</sup> 1/4 Sec. 30, T. 12 N/S, R. 7 E, in Washoe County

or Directly west of the lance on Mt. Rose Highway

Water will be used for Domestic Total depth of well 425'

Size of drilled hole 8" Weight of casing per linear foot 20.65

Thickness of casing 3/16" - 188 Wall Temp. of water 50°

Diameter and length of casing 8" X 354' - Liner 6" X 80ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 383 ft. Est. 1 To 4 GPM

If flowing well describe control works.....  
(Type and size of valve, etc.)

Date of commencement of well Jan 1 - 1962 Date of completion of well 4/30/62

Type of well rig Cable Tool

### LOG OF FORMATIONS

	From feet	To feet	Thickness feet	Type of material
<u>300</u>				<u>Soil + Boulders</u>
	<u>8</u>	<u>19</u>	<u>8</u>	
	<u>27</u>	<u>31</u>	<u>27</u>	<u>Large Boulders + Gravel</u>
	<u>58</u>	<u>58</u>	<u>58</u>	<u>Brown Rock</u>
	<u>82</u>	<u>82</u>	<u>82</u>	<u>Sand Stone</u>
	<u>155</u>	<u>155</u>	<u>155</u>	<u>Large Boulders + Gr.</u>
	<u>165</u>	<u>165</u>	<u>165</u>	<u>Sand Bolder + Gr -</u>
	<u>235</u>	<u>235</u>	<u>235</u>	<u>6 + 8 ft Boulders Grannitt.</u>
	<u>265</u>	<u>265</u>	<u>265</u>	<u>Sand Stone + D-G</u>
	<u>300</u>	<u>300</u>	<u>300</u>	<u>Grannitt. Boulders large</u>
	<u>310</u>	<u>310</u>	<u>310</u>	<u>Broken Rock.</u>
	<u>331</u>	<u>331</u>	<u>331</u>	<u>Sandy Clay -</u>
	<u>354</u>	<u>354</u>	<u>354</u>	<u>Clay with Boulders</u>
	<u>394</u>	<u>394</u>	<u>394</u>	<u>Cemented Gravel</u>
	<u>418</u>	<u>418</u>	<u>418</u>	<u>small Gr. + sand (water)</u>
	<u>425</u>	<u>425</u>	<u>425</u>	<u>hard - Rock Solid.</u>

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 394 to 418 ft.

Other aquifers NONE

---

First water at 394 feet.

---

Casing perforated  
 from 254 to 225 ft.

---

Size of perforations  
3/16" X 6" Torch Cut

