

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

✓ Log No. 6766  
 Rec. Oct 1 1962  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner FRANK SETTELMAYER + SONS INC. Driller IRVING P. TORNVESEN  
 Address MILDEN NEV Address CARSON CITY NEV Lic. No. 391  
 Location of well:  $\frac{1}{4}$  Sec. 11, T. 13 N, R. 15 E, in DOUGLASS County  
 or HOME PLACE GENERAL ROAD  
 Water will be used for DOMESTIC Total depth of well 188'  
 Size of drilled hole 6 5/8" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 1.88 Temp. of water COLD  
 Diameter and length of casing 6 1/4 ID.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure 20 G.P.M. 3 1/2' HEAD  
 If nonflowing well give depth of standing water from surface \_\_\_\_\_  
 If flowing well describe control works 2" GATE VALVE  
(Type and size of valve, etc.)  
 Date of commencement of well AUG 29-62 Date of completion of well SEPT 19-62  
 Type of well rig POTARY

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	ADOBÉ
4	31	27	GRAVEL
31	53	22	SAND
53	117	64	CLAY
117	147	30	SAND
147	167	20	CLAY
167	175	8	SAND
175	184	9	CLAY
184	188	4	COARSE SAND

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 167 to 175 ft.

Other aquifers 117-147  
184-188

First water at 16 feet.

Casing perforated

from 122 to 152 ft.

Size of perforations

1/8 x 4



