

(201)

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6778  
Rec. Oct 8 1962  
Well No. \_\_\_\_\_  
Permit No. 19102  
*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Lyon County Driller George Allen  
Address Coker 700 Address Smith, Neo Lic. No. 211  
Location of well: SE 1/4 NE 1/4 Sec 18, T 11 N 8, R 24 E, in Lyon County

Water will be used for Domestic Total depth of well 104

Size of drilled hole 4" Weight of casing per linear foot 12

Thickness of casing 1/4" ORS Temp. of water 58

Diameter and length of casing 100' - 4" I.D.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Flow approx 14 gpm above gravel level

If nonflowing well give depth of standing water from surface \_\_\_\_\_

If flowing well describe control works Valve - And Seal  
(Type and size of valve, etc.)

Date of commencement of well MARCH 1 1960 Date of completion of well MARCH 3 - 1960

Type of well rig Hydraulic

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Soil above dirt
10	23	13	CLAY and HARDYAM
22	40	18	SAND AND GRAVEL
40	85	45	CLAY (black)
85	95	10	White CLAY
95	103	8	GRAVEL

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 9.5 to 10.3 ft.

Other aquifers \_\_\_\_\_

First water at 22 feet.  
Surface water

Casing perforated  
from Stone to \_\_\_\_\_ ft.

Size of perforations

Stone



