

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6784
 Rec. Oct. 15 19 62
 Well No. _____
 Permit No. _____
Do not fill in



Owner Frank E. Rickards Driller J. W. Cunningham

Address Con. Toll & Penion Rd. Reno Nevada Address Reno Nevada Lic. No. 6724

Location of well: SE ^{of} 1/4 N. 21 1/4 Sec. ³⁴ 34, T 17 N/S, R 29 E, in Washoe County
 or M.D. + m

Water will be used for Domestic Total depth of well 100 Ft.

Size of drilled hole 9" 50Ft. Weight of casing per linear foot 13 Lbs.

Thickness of casing 188 W. 3/16 Temp. of water 50°

Diameter and length of casing 6" X 100 Ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 52'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 9/4 / 62 Date of completion of well 9 / 7 / 62

Type of well rig Cable Tool

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	36	36	Gravel & Bolders.	
36	58	22	Brown Shale	Chief aquifer (water-bearing formation)
58	70	22	Small Gr. Some Water	from <u>89</u> to <u>97</u> ft.
70	89	19	Shale	Other aquifers <u>70</u>
89	97	8	Water Gravel Main	
97	100	3	Shale	First water at <u>58</u> feet.
				Casing perforated
				from <u>67</u> to <u>98</u> ft.
				Size of perforations
				Torch Cut



