

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

✓ Log No. ~~6739~~ 6865  
 Rec. SEP 18 1962  
 Well No. ....  
 Permit No. 1863  
*Do not fill in*

Owner Rex Clemens Driller Bart Cunningham

Address Philomath, Oregon Address Unknown Lic. No. ....

Location of well: N. 1/4 E. 1/4 Sec. 11., T. 35 N/S, R. 23 E. in Washington County  
or .....

Water will be used for irrigation Total depth of well 307

Size of drilled hole 16" Weight of casing per linear foot .....

Thickness of casing 1 1/2" wall Temp. of water Cool

Diameter and length of casing 16" x 307  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not flowing

If nonflowing well give depth of standing water from surface 70 ft

If flowing well describe control works Not flowing  
(Type and size of valve, etc.)

Date of commencement of well Nov. 11 - 1961 Date of completion of well Dec. 10 - 1961

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	92	92	Clay
92	100	8	Clay + Gravel
100	182	82	Clay + Little Gravel
182	215	33	Round Gravel
215	232	17	Clay
232	260	28	Clay + Gravel
260	307	47	Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 182 to 215 ft.

Other aquifers 260 - 307

First water at 95 feet.

Casing perforated

from 95 to 307 ft.

Size of perforations

3/8" x 2"



