

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6885
 Rec. DEC 3 1962
 Well No. _____
 Permit No. _____

Do not fill in

Owner Louis Raffetto, Jr. Driller Reno Pump & Supply

Address Rte. 1 Box 156 Sparks, Nev. Address 7168 So. Virginia Reno Lic. No. 285

Location of well: SE 1/4 NW 1/4 Sec. 9, T. 19 N/S, R. 20 E, in Washoe County

Water will be used for Domestic Total depth of well 64'

Size of drilled hole 6" Weight of casing per linear foot _____

Thickness of casing 12 Ga. Temp. of water Cold

Diameter and length of casing 6" x 12 Ga. x 64'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 3' 9"

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 2/8/62 Date of completion of well 2/16/62

Type of well rig Cable Tool

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|---------------------|
| 0 | 3 | 3 | Top soil |
| 3 | 9 | 6 | Sandy Clay |
| 9 | 11 | 2 | Hard Clay |
| 11 | 18 | 7 | Sand |
| 18 | 60 | 42 | Sand & Gravel W. B. |
| 60 | 64 | 4 | Sandy Clay |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 40 to 60 ft.

Other aquifers _____

See Log

First water at 18 feet.

Casing perforated

from 44 to 60 ft.

Size of perforations

1/8" x 1"
 Factory _____



