

19593

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6888
 Rec. DEC. 3 1962
 Well No. _____
 Permit No. 19012
Do not fill in



Owner W.M. Erwin Driller Glen Maddox
 Address Stephenville, Texas Address Eureka, Nevada Lic. No. 369
 Location of well: SW ^{SE?} 1/4 SW 1/4 Sec. 16, T21N/S, R53E, in Eureka, _____ County
 or N 31 57067 W 116 00381 NMD27

Water will be used for Irrigation Total depth of well 182 ft.
 Size of drilled hole 26 " Weight of casing per linear foot 48 lb.
 Thickness of casing 1/4 inch. Temp. of water Apx. 58 Degrees
 Diameter and length of casing 16 in., 20 ft. lengths furnished by customer.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 44 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Nov. 15, 1962 Date of completion of well Nov. 16, 1962

Type of well rig Reverse Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0		3	Top soil	
3		20	Sand and Gravel	Chief aquifer (water-bearing formation)
20		24	Sand and Gravel	from <u>112</u> to <u>182</u> ft.
24		30	Clay and Gravel	Other aquifers _____
30		40	Clay	_____
40		46	Gravel	_____
46		50	Clay	_____
50		52	Gravel	_____
52		78	Gravel	_____
78		80	Clay and Gravel	First water at <u>44</u> feet.
80		90	Gravel	Casing perforated
90		92	Gravel	from <u>112</u> to <u>182</u> ft.
92		93	Clay	_____
93		108	Gravel	_____
108		110	Clay	Size of perforations
110		140	Gravel	<u>1/8</u>
140		142	Clay	_____
142		146	Gravel	_____
146		153	Clay	_____

