

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 6903
 Rec. DEC 12 19 62
 Well No. _____
 Permit No. _____
Do not fill in

Owner Lloyd LeMay Driller A & B Contractors

Address Mt. Rose Rd. Reno, Nev. Address Sun Valley, Nev. Lic. No. 287

Location of well: N 1/4 Sec. 3, T. 17 N, R. 19 E, in Washoe County
~~N 1/4 Sec. 3, T. 17 N, R. 19 E~~
NW NW 3 17 19

Water will be used for domestic Total depth of well 80'

Size of drilled hole 6" Weight of casing per linear foot 13#

Thickness of casing 188 ga. Temp. of water cold

Diameter and length of casing 6-5/8" X 80'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 22'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Oct. 9-62 Date of completion of well Oct. 16-62

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	22	22	Sandy clay
22	42	20	sandy clay & boulders
42	58	16	sandy clay & gravel
58	65	7	sandy clay & boulders
65	80	15	sandy clay & gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 42 to 58 ft.
 Other aquifers 65 to 80

First water at 42 feet.

Casing perforated
 from 60 to 80 ft.

Size of perforations
1/8" X 6"



