

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6909
 Rec. Dec. 12 1962
 Well No. _____
 Permit No. _____
Do not fill in.

Owner Curtis W. Osborne Driller A & B Contractors
 Address 336 Thoma St. Reno Address Sun Valley Lic. No. 287
 Location of well: NE 1/4 NW 1/4 Sec. 1, T18 N 6/ R19 E, in Washoe County
 or Davis Lane, Reno
 Water will be used for Domestic Total depth of well 132'
 Size of drilled hole 6 5/8 Weight of casing per linear foot 13#
 Thickness of casing 188 Gauge Temp. of water cold
 Diameter and length of casing 6 5/8 x 132
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 48'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well Dec. 4 Date of completion of well Dec. 8, 1962
 Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	18	18	clay boulders	
18	60	42	sandy clay, small rock	Chief aquifer (water-bearing formation)
60	112	52	soft brown rock	from <u>112</u> to <u>128</u> ft.
112	128	14	sand and gravel	Other aquifers <u>60'</u>
128	132	4	brown rock	
				First water at <u>60'</u> feet.
				Casing perforated
				from <u>70</u> to <u>125</u> ft.
				Size of perforations
				<u>1/8 x 6"</u>

