

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 6918  
 Rec. DEC 12 1962  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Marshall Matley Driller Al and Contractors

Address Reno, Nev. Address Sun Valley Lic. No. 287

Location of well: SE 1/4 NE 1/4 Sec. 26, T. 19 N/S, R. 10 E, in Washoe County  
 or well #2, Froy place Reno, Nev.

Water will be used for Domestic heat Total depth of well 197

Size of drilled hole 6-5/8 Weight of casing per linear foot 13 lbs.

Thickness of casing 133 gauge Temp. of water 166 deg.

Diameter and length of casing 6-5/8" x 19'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 11'

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well Oct. 23 Date of completion of well Oct. 20, 1962

Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	clay top soil
12	70	58	sandy clay
70	196	126	blue clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

First water at 65 feet.

Casing perforated

from 136 to 130 ft.

Size of perforations

1/8 x 6"



