Commencing at the southwest corner of that certain parcel of land deeded to W. H. Lovitt and Katie Lovitt, husband and wife, recorded May 21, 1956, as Document no 260193, Washoe County, Nevada records, thence N 89° 19' E. 455.9 ft. thence N. 0° 22' E 258.8 ft. to a point on the northerly line of a proposed 50 ft. road, the point of beginning. Thence S 89° 19' W and along the northerly line of said proposed 60 foot road a distance of 208.8 ft. thence N. 0° 22' E. 208.8 ft. thence N. 89° 19' E. 208.8 ft., thence S. 0° 22' W. 208.8 ft. to the point of beginning.

The above described parcel of land lies wholly within the S/W 1/4 of the NW 1/4 of Sec. 26, T. 20 N., R. 19 E., M.D.B.&M., Washoe County, Nevada

Edd Kopetitsch

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed W. H. Smith
Well Driller

By Marie Smith

License No. 344

Dated Jan 25, 19 63

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6995
Rec. Jan 30 1963
Well No.
Permit No.
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Edd Kofitsch Driller W.H. Lovitt

Address Carson Lane Address 450 Lovitt Lane Lic. No. 344

Location of well: SW¼NW¼ Sec. 26, T 20 N, R 19 E, in Washo County

or

Water will be used for Domestic Total depth of well 64 ft 8 in

Size of drilled hole 10 in Weight of casing per linear foot

Thickness of casing 12 g. Temp. of water 48

Diameter and length of casing 64 ft 8 in
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 22 ft

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Aout Dec 1-62 Date of completion of well Jan 3 or 4-63

Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
10	20	20	dirt & D. comp granted
20	3	3	rock
23	10	10	gravel + water
33	8	8	rock
41	9	9	gravel + water
50	8	8	rock
58	7	7	gravel + water
64	8 in	8 in	rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from ..... to ..... ft.

Other aquifers

First water at 30 feet.

Casing perforated

from 30 to 64 ft 8 in ft.

Size of perforations

¼ in 6 & 8 in long

(OVER)

919