

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7020  
 Rec. FEB 15 1963  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in 104*

Owner Mr. Las Vannoy Driller Meyer Drilling Co. Inc.

Address 210 Mary St. Carson City, Nevada Address Carson City, Nevada Lic. No. 209

Location of well: SW 1/4 SE 1/4 Sec. 32, T6 N/S, R. 20 E, in Ormsby County

or Lot # 32 Comstock Hills Sub. Div.

Water will be used for Domestic Total depth of well 152 Feet

Size of drilled hole 6 " Weight of casing per linear foot 13 Lbs.

Thickness of casing .219 Wall Temp. of water Cold

Diameter and length of casing 6 " X 152 Feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 115 Feet

If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)

Date of commencement of well 1/5/63 Date of completion of well 1/11/63

Type of well rig Cable Tool - Star Drill Rig. # 71-B

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Top Soil
10	117	107	Clay & Rock
117	152	35	Decomposed Granite, Some Sand

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 117 to 152 ft.

Other aquifers.....

---

First water at 117 feet.

Casing perforated  
 from 132 to 152 ft.

Size of perforations  
1/8 " X 6 "



