

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7030
 Rec. MAR 4 19 63
 Well No. _____
 Permit No. _____

Do not fill in

Owner Lawrence J. Callahan Driller Inning R. Tomness

Address 1014 S. Division Carson Address P.O. Box 99 Carson (Lic. No. 341)

Location of well: N.W. 1/4 SW 1/4 NE 1/4 Sec. 11, T. 17N, R. 19E, in Washoe County

or Domestic

Water will be used for _____ Total depth of well 150

Size of drilled hole 6 5/8 Weight of casing per linear foot _____

Thickness of casing .188 Temp. of water cold

Diameter and length of casing 6 1/4 ID + 40 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 112 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Feb 11 - 63 Date of completion of well Feb 20 - 63

Type of well rig percussion

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	24	24	Rocky D.K.
24	30	6	Granite Boulders
30	95	65	Decomposed Granite
95	105	10	Clay
105	150	45	Decomposed Granite

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 130 to 150 ft.

Other aquifers none

First water at 130 feet.

Casing perforated

from 130 to 150 ft.

Size of perforations

1/8

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6 5/8	+ 1	150	151	Bentonite grout.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Ernest D. Tompkins
Well Driller

By.....

License No. 6696

Dated Mar 4, 1963.

(Not to be filled in by Driller)
