

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7102
 Rec. April 15 1963
 Well No.
 Permit No.
Do not fill in

Owner Ray Kresser Driller W. E. Tolain

Address Box 474 Al Tahoe Calif Address Box 255 Carson City Lic. No. 301

Location of well: $\frac{1}{4}$ - $\frac{1}{4}$ Sec. 20, T. 15 N, R. 20 E, in Ormsby County

Water will be used for Domestic Total depth of well 79 ft

Size of drilled hole 10" to 10 ft Weight of casing per linear foot 9.7 lbs

Thickness of casing 16 gage Temp. of water Cold

Diameter and length of casing 6" x 80 ft
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 7 ft

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well 4-5-63 Date of completion of well 4-8-63

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top soil
4	6	2	Hardpan
6	10	4	clay
10	12	2	sand
12	16	4	clay
16	18	2	sand
18	20	2	clay
20	24	4	sand
24	26	2	clay
26	29	3	sand
29	36	7	clay
36	38	2	sand
38	39	1	clay
39	42	3	sand
42	43	1	clay
43	45	2	sand
45	46	1	clay
46	49	3	sand
49	50	1	clay
50	52	2	sand
52	56	4	clay
56	58	2	sand
58	62	4	clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 75 to 78 ft.

Other aquifers 10-12
62-64
72-73

First water at 10 feet.

Casing perforated
 from 60 to 80 ft.

Size of perforations
3 x 3/32



