

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

✓ Log No. 7120
 Rec. Apr. 23 1963
 Well No.
 Permit No.
Do not fill in

Owner C.B. Stark Driller C.C. Davidson
 Address Fallon Nevada Address Fallon Nev. Lic. No. 337
 Location of well: 1/4 W 1/4 Sec. 18, T. 19 N/S, R. 35 E, in Churchill County
W 1/4 sec. 18 center of so. line n. 35 E T 19
 or.....
 Water will be used for irrigation Total depth of well 200'
 Size of drilled hole 22" Weight of casing per linear foot 42#
 Thickness of casing 1/4" Temp. of water nil
 Diameter and length of casing 16" 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure 22x 200 G.P.M.
 If nonflowing well give depth of standing water from surface 33x
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well March 1 1963 Date of completion of well March 15 1963
 Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Top soil
10	22	12	fine sand
22	70	48	blue clay
70	90	20	water sand & gravel
90	95	5	hard pan
95	105	10	water gravel
105	135	30	dobie clay
135	140	5	sand & Clay
140	150	10	fine sand
150	195	45	course water sand.
195	200	5	Br. clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 150 to 195 ft.

Other aquifers 95 105
70 90

First water at 70 feet.

Casing perforated
 from 150 to 200 ft.

Size of perforations
1/8 x 3 x 8 rows

