

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

1

Log No. 7170
 Rec. May 20 1963
 Well No. _____
 Permit No. _____
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner CARL PILGRIM Driller SMITH & POLATZ INC.
 Address Wadsworth Nev Address 195 - E 6th Ave Sparks Lic. No. 207
 Location of well: Lot 6 Block 15 20 24
 $\frac{1}{4}$ Sec. 3, T. 20N/S, R. 24E, in MDRBM Washoe County
 or Town of Wadsworth on Lincoln Highway
 Water will be used for Domestic Total depth of well 101
 Size of drilled hole 6 5/8 Weight of casing per linear foot 14.97
 Thickness of casing 7.19 Temp. of water Cold
 Diameter and length of casing 6 5/8 OD 101 ft long
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 18 feet
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well 5-1 Date of completion of well 5-8-63
 Type of well rig Cable Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Fill Rocks & Boulders
8	35	27	Clay & Boulders
35	63	28	Tight Gravel Cemented
63	69	6	Clay & Gravel
69	96	27	Loose Gravel + Water
96	100	4	Clay & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 69 to 96 ft.

Other aquifers _____

None

First water at 69 feet.

Casing perforated
 from 80 to 96 ft.

Size of perforations
7/8 x 6 4 Rows



