

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 7172  
 Rec. May 20 19 63  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
Do not fill in

Owner Olive Webber Driller Smith & Pulst Inc  
 Address Wadsworth in town Address 195 - E 6<sup>th</sup> Ave Lic. No. 207  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 3, T20N/S, R34E, in Washoe County  
 or ACROSS TRACK by School  
 Water will be used for Domestic Total depth of well 84ft  
 Size of drilled hole 6 5/8 Weight of casing per linear foot 12.89  
 Thickness of casing 1/88 Temp. of water Cold.  
 Diameter and length of casing 6 5/8 x 85 feet Long  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 40ft  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 2-27-63 Date of completion of well 2-26-63  
 Type of well rig Cable

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	top Soil
6	37	31	CLAY + LARGE GRAVEL
37	68	31	Cemented GRAVEL
68	84	16	Loose GRAVEL

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 68 to 84 ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 68 feet.  
 Casing perforated  
 from 68 to 80 ft.  
 Size of perforations  
7/16 x 6" 4 Rows  
Torch Cut



