

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7304
 Rec. July 30, 1963
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in

Owner James Stewart Driller W. J. Lange
 Address Quinn River Ranches Address Box 845 Eeks Lic. No. 397

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 31, T. 26 N/S, R. 27 E, in Eeks County
 or Lot 3 Block 3-12-003-3ES

Water will be used for Domestic Total depth of well 124.7

Size of drilled hole 6 5/8 Weight of casing per linear foot 12.68

Thickness of casing 1.88 Temp. of water 52

Diameter and length of casing 6 5/8 o.d.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____

If nonflowing well give depth of standing water from surface 57.7

If flowing well describe control works. _____
(Type and size of valve, etc.)

Date of commencement of well 7-16-63 Date of completion of well 7-26-63

Type of well rig Keystone 50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
<u>Top</u>	<u>2</u>	<u>2</u>	<u>Top Soil Light Brown and sandy</u>
<u>2</u>	<u>108</u>	<u>106</u>	<u>Light Tan Clay</u>
<u>108</u>	<u>124</u>	<u>16</u>	<u>Sand water bearing</u>

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 108 to 124 ft.

Other aquifers _____

First water at 108 feet.

Casing perforated

from 108 to 124 ft.

Size of perforations

3/16 - 2 inch long



LOG OF FORMATIONS--Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *W. J. Sarge*
Well Driller

By _____

License No. 397

Dated 7-27-, 1963

(Not to be filled in by Driller)

1963 JUL 30 AM 10 03

STATE ENGINEER
CHARGE

*