

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 7318  
 Rec. Aug. 2 1963  
 Well No. \_\_\_\_\_  
 Permit No. 18814  
558 Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Albert Guy Smith Driller Paul McMinch  
 Address 929 Nevada St Reno Address Womansmucca Lic. No. 219  
 Location of well: S3 1/4 NW 1/4 Sec. 15, T. 26. N. 10, R. 43 E. in Lander County  
 or N 40, 124 141 W 117, 125 927 N 1027 well plugged under NOE 64077  
 Water will be used for Irrigation Total depth of well 270  
 Size of drilled hole 16" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 10 ga. Temp. of water Cold  
 Diameter and length of casing 16" - 208, 12" 60'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 65  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Sept 1, 1960 Date of completion of well \_\_\_\_\_  
 Type of well rig \_\_\_\_\_

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	9	9	Top Soil
9	11	2	gravel
11	111	100	Clay
111	131	20	large & small gravel
131	185	54	Clay
185	217	32	Conglomerat
217	270	53	Clay

**Water-bearing Formation, Casing Perforations, etc.**

---

Chief aquifer (water-bearing formation)  
 from 111 to 131 ft.

Other aquifers \_\_\_\_\_

---

First water at 111 feet.

---

Casing perforated  
 from 111 to 270 ft.

---

Size of perforations \_\_\_\_\_

