

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7319
 Rec. Aug. 7 1963
 Well No. _____
 Permit No. 19856
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner C-B Ranch Co. ~~C-B Land and Cattle Co.~~ Driller C. B. Hill

Address Ely, Nevada Address Ely, Nevada Lic. No. 342

Location of well: NE 1/4 NW 1/4 Sec. 17, T. 15 N, R. 64 E, in White Pine County County

Water will be used for irrigation Total depth of well 120 ft.

Size of drilled hole 20 inch Weight of casing per linear foot 42#

Thickness of casing 3/16" Temp. of water _____

Diameter and length of casing 120 ft. of 20"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 16 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Aug. 2, 1960 Date of completion of well Aug. 9, 1960

Type of well rig Churn drill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	25	25	silt
25	30	5	gravel
30	80	50	cemented gravel
80	120	40	silt
Plugged by No. I# 58673 39.169709°N 114.812768°W NAD 27 (TA)			

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 25 to 30 ft.

Other aquifers 80 to 120

First water at 25 feet.

Casing perforated

from 25 to 120 ft.

Size of perforations

$\frac{1}{2}$ x 12



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
				Test pumped at 450 gpm 95 ft. drawdown

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed C. B. Hill
Well Driller

By J. S. Shaw Accountant

License No. 342

Dated Aug. 2, 1963

(Not to be filled in by Driller)

42 8 AM 7 1963
STATE ENGINEER