


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7369
 Rec. SEPT 12 1963
 Well No. _____
 Permit No. 21139
Do not fill in



Owner Las Vegas Valley Water District Driller Roscoe Moss Company
 Address Las Vegas, Nevada Address 4360 North Street Lic. No. 8
 Location of well: 1/4 1/4 Sec. 6, T22 N/S, R61 E, in Clark County
 or _____
 Water will be used for Municipal Total depth of well _____
 Size of drilled hole 16 Weight of casing per linear foot 62#
 Thickness of casing 8 gauge Temp. of water _____
 Diameter and length of casing 16" No. 8 gauge double well casing 4' jts
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 6-21-63 Date of completion of well 7-27-63
 Type of well rig Calif Type Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	1	1	Sand	Chief aquifer (water-bearing formation) from _____ to _____ ft. Other aquifers _____ _____ _____ _____ First water at <u>390</u> feet. Casing perforated from <u>475</u> to <u>870</u> ft. Size of perforations <u>5/16 x 2-1/2</u>
1	150	149	Cemented sand and gravel, boulders	
150	278	128	Cemented sand and gravel	
278	435	157	Cemented sand, gravel, stks of brown clay	
435	840	405	Cemented sand and gravel, hard stks	
840	850	10	Sand and gravel, stks red clay	
850	868	18	Cemented sand and gravel	
868	872	4	Red clay	
872	890	18	Hard sandstone	
890	1000	110	Caliche - hard.	

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
20	0	102	102	Conductor casing cemented in place
16	0	1000	1000	Double well casing.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

At completion of developing and testing - total of 252-3/4 hrs well produced 2960 GPM with a drawdown of 66 feet.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Roscoe Moss Company
Well Driller

By [Signature]
Secretary

License No. 8

Dated September 10, 1963

(Not to be filled in by Driller)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

1963 SEP 12 AM 10-17

STATE ENGINEER