

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7382  
 Rec. Sept 23 1963  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Neil Gaudsward Driller Joe Cunningham  
 Address 655 Montivista Dr. Address Reno Rt 1 Box 44 Lic. No. 242

Location of well: NW 1/4 SE 1/4 Sec. 7, T18N/S, R20E, in Washoe County  
 or B/K-B- Lot-2 - 655 Montivista Dr. - Sierra Manor - Reno

Water will be used for Domestic Total depth of well 135'

Size of drilled hole 12" for - 50 ft. Weight of casing per linear foot 15 lbs.

Thickness of casing 188 mil - 3/16" Temp. of water 50° Est.

Diameter and length of casing 8" X 135'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. \_\_\_\_\_

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 7/9/63 Date of completion of well 7/13/63

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	18	15	hard pan
18	26	8	Sand. S. & water
26	70	44	Sandy Clay
70	96	26	Sand-boulders + Gravel
96	110	14	Sandy Clay
110	115	5	Fine Sand
115	123	8	Sandy Clay
123	134	11	Sand coarse + small gravel Chert water
134	135	1	Sand, clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 123 to 134 ft.

Other aquifers \_\_\_\_\_

First water at 18 feet.

Casing perforated

from 123 to 134 ft.

Size of perforations

Top Cut Fine



