

(Poques well)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7450
Rec. Oct 30 1963
Well No. _____
Permit No. _____
Do not fill in

Owner Bureau of land management Driller J. B. Reynolds
Address Elko Nev Address Well Nevada Lic. No. 28
Location of well: NE 1/4 SE 1/4 Sec 29, T. 30 N/S, R. 55 E, in Elko County

Water will be used for NO WATER Total depth of well 499

Size of drilled hole 6" Weight of casing per linear foot 18 lbs

Thickness of casing 219 Temp. of water ?

Diameter and length of casing 6" x 414 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure NO

If nonflowing well give depth of standing water from surface 313 ft

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Sept 20-63 Date of completion of well Oct 12-63

Type of well rig Shurwell drill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	38	38	Brown clay gravel.	
38	41	3	Brown rock	Chief aquifer (water-bearing formation)
41	48	7	Brown clay	from to ft.
48	51	3	Brown rock.	Other aquifers.....
51	313	262	water in dirty gravel. (2 G.P.M.)	
313	320	7	Brown dirty gravel.	
313	320	7	Brown dirty gravel.	
320	390	70	Brown clay gravel.	
390	407	17	white bentonite.	First water at.....feet.
407	499	92	Brown sticky clay. Total depth 499.	Casing perforated from to ft.
				Size of perforations



