

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7569
 Recd 12-26 1963
 Well No.
 Permit No. 18875
 Do not fill in.

Owner Dave Mc Minch Driller Dave Mc Minch

Address Winnemucca Nevada Address Winnemucca, Nevada Lic. No. 219

Location of well: SE 1/4 SE 1/4 Sec. 2, T26 N/S, R43 E, in Lander County
 or

Water will be used for Irrigation Total depth of well 250'

Size of drilled hole 17" Weight of casing per linear foot 30 lbs.

Thickness of casing 3/16 Temp. of water cold

Diameter and length of casing 16 1/2" X 250'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 68'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well July 1 1962 Date of completion of well Oct. 30, 1962

Type of well rig CABLE TOOL

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, etc.
From feet	To feet	Thickness feet	Type of material	
0	21	21	sandy topsoil	
21	70	49	dry clay and gravel	Chief aquifer (water-bearing formation)
70	78	8	soft clay	from <u>206</u> to <u>249</u> ft.
78	90	12	clean fine gravel	
90	108	18	clay with loose gravel seams	Other aquifers.....
108	200	92	gravel and sandall clean loose.....
200	206	6	clay	gravel
206	249	43	clean large gravel	
249	250	1	hard clay	
				First water at <u>78</u> feet.
				Casing perforated
				from <u>78</u> to <u>250</u> ft.
				Size of perforations
				<u>3/8" X 2 1/2"</u> slots

