

Duplicate Log ✓ SAME LOG AS #6476

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7619  
Rec. 1-30 1964  
Well No. \_\_\_\_\_  
Permit No. 20687  
*Do not fill in*

Owner Elko County School District Driller Harry Bolton

Address P. O. Box 1012, Elko, Nevada Address Twin Falls, Idaho Lic. No. 179

Location of well: ~~NE 1/4 Sec. 12, T. 47N/S. R. 64E~~ in Elko County  
or NE 1/4 NE 1/4 NW 1/4, E 1/4 NW 1/4, S 1/4 NE 1/4 NW 1/4 Mount Diabla Meridian, Nevada

Water will be used for Domestic Total depth of well 142'

Size of drilled hole 12" to 136', 8" to 142' Weight of casing per linear foot 171b.

Thickness of casing 3/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 136' of 8"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 95'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well March 13, 1962 Date of completion of well March 22, 1962

Type of well rig Churn

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	4	4	Soil	
4	75	71	Light sand stone or Pumice	Chief aquifer (water-bearing formation)
75	85	10	Red Clay & sand	from <u>102</u> to <u>142</u> ft.
85	118	33	Red Rock	Other aquifers _____
118	130	12	Clay & rock	
130	142	12	Red Rock	
				First water at <u>102</u> feet.
				Casing perforated
				from <u>96</u> to <u>142</u> ft.
				Size of perforations
				<u>1 1/4"</u> by <u>8"</u>

## RECEIVED

APR 18 1962

Elko County School District



20209

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7619  
 Rec. APRIL 20 1962  
 Well No. \_\_\_\_\_  
 Permit No. 20208  
*Do not fill in*

Owner Elko County School District Driller Harry Bolton

Address P. O. Box 1012, Elko, Nevada Address Twin Falls, Idaho Lic. No. 179

Location of well: NE 1/4 NW 1/4 Sec. 12, T. 47N/S, R. 64E, in Elko County  
or NE 1/4 NE 1/4 NW 1/4, E 1/4 NW 1/4 NW 1/4, S 1/4 NE 1/4 NW 1/4 Mount Diablo Meridian, Nevada

Water will be used for Domestic Total depth of well 142'

Size of drilled hole 12" to 136' 8" to 142' Weight of casing per linear foot 17 LB.

Thickness of casing 3/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 136' of 8"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 95'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well March 13, 1962 Date of completion of well March 22, 1962

Type of well rig Church

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Soil
4	75	71	Light sand stone or Pumice
75	85	10	Red Clay & Sand
85	118	33	Red Rock
118	130	12	Clay & rock
130	142	12	Red Rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 102 to 142 ft.

Other aquifers \_\_\_\_\_

First water at 102 feet.

Casing perforated

from 96 to 142 ft.

Size of perforations

1/2" by 8"



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material
8"	1' Above Surface	136'	

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8"	1' Above Surface	136'	137'	Concrete seal from 40' to 50' below surface of ground

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed

*Harry Bolton*  
Well Driller

By.....

License No. 179

Dated 4.17.62, 19.....

(Not to be filled in by Driller)

.....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....  
 .....

STATE ENGINEER  
 OFFICE  
 1962 APR 20 AM 8 57

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8"	1' above surface	136'	137'	Concrete seal from 40' to 50' below surface of ground.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---



---



---

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *Harry Bolton*  
Well Driller

By.....

License No.....179.....

Dated.....4, 17, 1962....., 19.....

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---

1964 JAN 30 AM 10 58

STATE ENGINEER