

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7754  
 Rec. April 14 1964  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Norman Seoggin Driller R. N. Powell  
 Address 1013 E. Fifth, Carson City Address P.O. Box 423, Yerington Lic. No. 272  
Lot 5, Block 8, East Addition, Eagle Valley Vista Subdivision  
 Location of well: 1/4 NE 1/4 Sec 5, T. 15 N/S, R. 20 E, in Ormsby County  
 or APN 8-114-03 1050 Holly Way RC 8-31-041

Water will be used for domestic Total depth of well 157 ft.

Size of drilled hole 9" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 3/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 6 5/8 O.D. - 158 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 25'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 3/9/64 Date of completion of well 3/30/64

Type of well rig Rotary

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	18	18	sandy loam
18	21	3	chipped rock
21	36	15	blue clay
36	120	94	blue shale
120	136	16	clay and small gravel
136	145	9	gray clay
145	157	12	blue shale, loose

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 145 to 157 ft.

Other aquifers 120 - 136

First water at 21 feet.  
 (seepage)

Casing perforated  
 from 80 to 157 ft.

Size of perforations  
3/16" torch cut

