

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

✓ Log No. <u>7802</u>
Rec. <u>May 8</u> 19 <u>64</u>
Well No. _____
Permit No. _____
Do not fill in.

Owner Kennath Carpenter Driller A & B Contractors

Address Verdi, Nevada Address Sun Valley, Nev. Lic. No. 287

Location of well NE 1/4 NW 1/4 Sec. 17, T. 19 N/S, R. 18 E, in Washoe County  
or \_\_\_\_\_

Water will be used for domestic Total depth of well 113

Size of drilled hole 6-5/8" Weight of casing per linear foot 13 lbs.

Thickness of casing 188 ga. Temp. of water cold

Diameter and length of casing 6-5/8" X 86'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 18'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well May 15-63 Date of completion of well May 20-63

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top soil
4	40	36	boulders
40	48	8	hard pan
48	70	22	sandy clay
70	90	20	shale
90	113	23	grey shale

**Water-bearing Formation, Casing Perforations, etc.**

---

Chief aquifer (water-bearing formation)  
from 75 to 90 ft.

Other aquifers \_\_\_\_\_

---

First water at 10 feet.

Casing perforated  
from 66 to 86 ft.

Size of perforations  
1/8" X 6"

