

Well # 57413 C-194

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7824
 Rec. May 12 1964
 Well No. _____
 Permit No. _____
Do not fill in

Owner: JAMES A. HENRY + Rutha Henry Driller: Smith Polati, INC.
 Address: 705 Belgrave Address: 195-F 6th Ave Sparks 208 Lic. No. 207
 Location of well: NW 1/4 SW 1/4 Sec. 6, T. 6 N/S, R. 20E, in Washoe County
 or: Washoe FARMS Lot 5 - Block C.
 Water will be used for: Domestic Total depth of well: 80
 Size of drilled hole: 6 5/8 Weight of casing per linear foot: 14.97
 Thickness of casing: 219 Temp. of water: Cold
 Diameter and length of casing: 6 5/8 O.D. 82 ft in length
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure: Water stands 6" above ground
~~If nonflowing well give depth of standing water from surface~~ flows 3-6 g.p.m.
 If flowing well describe control works: Piped to LAWN
 (Type and size of valve, etc.)
 Date of commencement of well: 7-2-63 Date of completion of well: 7-3-63
 Type of well rig: Cable Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Top Soil
12	38	26	Grey sandy clay-water
38	55	17	Grey Clay
55	78	23	Coarse Sand + Gravel
78	80	2	Water Strata Grey Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 55 to 78 ft.

Other aquifers: None

First water at 12 feet.

Casing perforated
 from 60 to 75 ft.

Size of perforations
6 x 4" - 4 Rows
Torch Cut



